FEE TRANSMITTAL

Application Number NOT YET ASSIGNED Filing Date June 4, 1998 First Named Inventor Lawrence L. Staples Attorney Docket Number AIN 1732

METHOD OF PAYMENT

- The Commissioner is hereby authorized to charge the 1. indicated fees to Deposit Account No. 19-1345, in the name of Senniger, Powers, Leavitt & Roedel.
 - The Commissioner is hereby authorized to charge any additional filing and claim fees under 37 CFR 1.16 and application processing fees under 37 CFR 1.17 to Deposit Account No. 19-1345, in the name of Senniger, Powers, Leavitt & Roedel.
- Check Enclosed. The Commissioner is hereby 2. [X] authorized to charge any under payment or credit any over payment to Deposit Account No. 19-1345, in the name of Senniger, Powers, Leavitt & Roedel.

FEE CALCULATION

1.	[X]	BASIC FILING FEE \$395.00 (Type: Formal Utility)
		Entity Status: small
2.	[]	CLAIM FEE \$
		Total Claims 9 Independent Claims 2 Multiple Dependent Claims
3.	[X]	ADDITIONAL FEES \$40.00
		 [] Surcharge - late filing fee or oath [] Surcharge - late provisional filing fee or cover sheet [] Extension for reply within month [] Notice of Appeal [] Filing a Brief in Support of an appeal [] Request for Reexamination [] Petitions to the Commissioner
		[] Submission of Information Disclosure Statement [X] Recording each patent assignment per property

\$435.00 TOTAL AMOUNT OF PAYMENT

Other:

<u>June 4, 1998</u>

I. J. Fleischut, Reg. No. 35,513 Date

PIF/leb

111 1.11 1.14

Street Bright and Street

SENNIGER, POWERS, LEAVITT & ROEDEL ATTORNEYS AT LAW

STUART N. SENNIGER (1921-1997)

FRANK R. AGOVINO DERICK E. ALLEN ROBERT M. BAIN G. HARLEY BLOSSER RICHARD I BRIDGE J. BENNETT CLARK CHARLES E COHEN, PH D* DAVID E. CRAWFORD JR MATTHEW L CUTLER ROBERT M. EVANS, JR. PAUL 1.1. FLFISCHUT ELIE H. GENDLOFF, PH D MICHAEL E GODAR CHRISTOPHER M GOFF DAVID M. GRYTE

VIRGINIA

EDWARD I HEILEK KURT F JAMES VINCENT M KEIL WILLIAM F LAHEY DONALD G LEAVITT PATRICK A LUJIN PAUL A MADDOCK MICHAEL G MUNSELL KATHLEEN M PETRILLO LAJRA R POLCYN JOHN K ROEDEL, IR JOSEPH A SCHAPER** PAUL A STONE RUDOLPH A TELSCHER, R ONE METROPOLITAN SQUARE 16TH FLOOR ST LOUIS, MISSOURI 63102 314-231-5400

FACSIMILE 314-231-4342 http://www.senniger.com

PATENTS, TRADEMARKS, COPYRIGHTS AND RELATED MATTERS

MEG MARSHALL THOMAS SCOTT A WILLIAMS

OF COUNSEL IRVING POWERS RICHARD G HEYWOOD June 4, 1998

UTILITY PATENT APPLICATION TRANSMITTAL

(new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket Number: AIN 1732

First Named Inventor: Lawrence L. Staples Express Mail Label Number: EM048946169

Total Pages: 9

Assistant Commissioner for Patents TO: Box Patent Application Washington, D.C. 20231

APPLICATION ELEMENTS

- [X]Fee Transmittal Form 1. (original and duplicate)
- Specification [Total Pages 6] 2. [X]
- Drawings [Total Sheets 2] 3. [X]
- Oath or Declaration [Total Pages 3] 4.
 - Newly executed (original or copy) [X] a.
 - [] New (unexecuted)
 - Copy from a prior application b. (for continuation/divisional with Box 17 completed)
 - DELETION OF INVENTOR(s) [] Signed statement attached deleting inventor(s) named in prior application.
- Incorporation By Reference 5. (useable if Box 4b is marked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

dies the set of 1.15 į .i. 111

<i>.</i> 6.	.[]	Microfiche Computer Program (Appendix)
7.	[]	Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. [] Computer Readable Copy b. [] Paper Copy (identical to computer copy) c. [] Statement verifying identity of above copies
		ACCOMPANYING APPLICATION PARTS
8.	[X]	Assignment Papers (cover sheet & document(s))
9.	[]	37 CFR 3.73(b) Statement [] Power of Attorney
10.	[]	English Translation Document (if applicable)
11.	[]	IDS with PTO-1449 [] Copies of IDS Citations
12.	[]	Preliminary Amendment
13.	[X]	Return Receipt Postcard
14.		Small Entity Statement(s) Statement filed in prior application; status still proper and desired
15.	[]	Certified Copy of Priority Document(s) if foreign priority is claimed
16.	[]	Other:
		CONTINUING APPLICATION, CHECK APPROPRIATE OX AND SUPPLY THE REQUISITE INFORMATION
17.	[]	Continuation [] Divisional [] Continuation-in-Part of prior application No.:/
	[X]	Complete Application based on provisional Application No. <u>60/048,548</u>
		CORRESPONDENCE ADDRESS

Correspondence Address: Customer Number 000321 Attention: Paul I. J. Fleischut 18.

Respectfully submitted,

Paul I. J Fleischut Reg. No. 35,513

1

AIN 1732 PATENT

AIR INFILTRATION PREVENTION IN BUILDINGS BACKGROUND OF THE INVENTION

This invention is directed to a method for reducing infiltration of air into a residence or other building, which reduction in air infiltration results in a reduction in heating and cooling requirements.

In insulating a building it has been the prior practice to reduce the infiltration of air into and within the building by applying caulk to fill some gaps between boards, voids and other locations where air would otherwise have an opportunity to seep into the building and from one location in the building to another location. For example, between two components of a double stud supporting a window header, there is typically a small gap in places where the two surfaces do not lay completely flat against each other. It has been the practice to apply a strip of caulk along such seams in order to fill in any gaps where air would tend to have an opportunity to flow. A disadvantage of this approach has been that this filling in of gaps provides is incomplete and, particularly over time as the abutting pieces move relative to each other, further gaps are formed which allow air to nonetheless flow between the abutting components. Caulk does not expand and contract sufficiently to keep such gaps sealed through seasonal cycles.

SUMMARY OF THE INVENTION

An object of the present invention is to provide an improved method for reducing air infiltration in a building.

Briefly, therefore, the invention is directed to a method for reducing air infiltration in a building having a frame comprising wooden components, the method comprising applying glue to abutting wooden surfaces to

10

5

25

provide a seal between such surfaces to prevent air flow between such surfaces.

Other objects and features of the invention will be in part apparent and in part pointed out hereinafter.

BRIEF DESCRIPTION OF THE FIGURES

Fig. 1 is a perspective view of a wall panel system treated in accordance with the method of the invention.

Fig. 2 is a schematic view of a joint treated in accordance with the method of the invention.

DETAILED DESCRIPTION OF THE INVENTION

One aspect of this invention involves installation into a building, during construction, of an energy packaging in which various abutting surfaces in the building are glued to each other. This is in contrast to applying a substance such as caulk essentially only fills in gaps between abutting surfaces, but does not bind and seal the gaps like glue does. By gluing such surfaces together, an actual seal is created between the surfaces which more completely blocks the flow of air between such surfaces. Furthermore, by gluing such surfaces together, longer lasting air infiltration is imparted to such surfaces which withstands minor movement of such surfaces relative to each other, and normal expanding and contracting through the seasons and through the years.

The invention involves applying glue to bind wooden components known as double plates together in a building as shown in Fig. 1, to block air infiltration between the two plates. The glue is applied once the frame and exterior sheeting of the building is in place, but prior to installation of fiber insulation. Glue is applied between double studs which support, for example, window and door headers to bind the two studs together and prevent air infiltration between them. Glue is applied

1.11

1,3

20

10

5

25

where surfaces of wooden components abut at corners of wall frames at, for example, a 90° angle as shown in Fig. 1 and other corners. Glue is applied at abutting surfaces at subfloors and where subfloors meet exterior wall plates. Glue is applied where floor joists abut other surfaces, as shown in Fig. 2. Glue is applied where bandboards surfaces abut other surfaces. applied at most surfaces where two-by-fours and other wooden components abut each other and other surfaces. Optionally, glue is applied to joints in air ducts. effect of the foregoing is to form a permanent seal between all of the aforementioned surfaces which seal blocks the flow of air between such surfaces. preferred that a seal is created at the majority of the above-described abutting surfaces, more preferred that a seal is created at 85% of the above-described abutting surfaces, most preferably that a seal is created at all of the above-described abutting surfaces within the This reference to, for example, "majority of," building. "85% of," and "all of the above-described surfaces" is intended to convey that where, for example, two 2-by-4s lay on top of each other, glue is applied to "all" of the abutting length. This is not intended to convey that "all" of the abutting surface area is sealed. the entirety of the abutting surfaces of two 2-by-4s, it is necessary to apply glue to the entire length of contact, but not to the entire flat contacting surfaces of the respective boards. The same concept applies to the reference to "majority" and "85%" in this sentence. What is critical is to create a seal at the majority of, 85% of, or all of, the abutting surfaces, to seal the majority of, 85% of, or all of the gaps between such surfaces, which does not require application of glue to the entirety of such surfaces.

5

10

25

¥, ; ;

1...

In carrying out the gluing of surfaces together, the glue preferably is a hydrocarbon-based adhesive containing petroleum distillates, more preferably an aromatic hydrocarbon-based adhesive, still more preferably a benzene derivative based adhesive, most preferably a naphthalene- and benzene-based adhesive. One preferred glue is commercially available from Glidden This glue Company under the trade name "Liquid Nails." contains petroleum distillates, polymers with petroleum naphtha, benzene, 1,3,-diethenyl-, polymer with 1,3butadiene and ethenylbenzene, carbonic acid, calcium salt, kaolin, solvent naphtha, light aliphatic, quartz, 3-methylpentane, 2,2-dimethylbutane, 2,3-dimethylbutane, and 2-methylpentane. The preferred glue has elastomeric properties which allow it to expand and contract as the wooden components expand and contract.

Because this glue, as contrasted with caulk, has the ability to expand and contract as abutting surfaces expand and contract, the integrity of the seal between abutting surfaces is not compromised as the building undergoes normal expansion and contraction due to changes in temperature. Sealing a house by this method has been determined to reduce air infiltration by about half.

In another embodiment of the invention, the foregoing sealing operation is carried out in combination with application of insulating material around windows and doors, behind electric boxes at exterior walls, and at wire and pipe holes at exterior walls and interior attic walls. The preferred material for this optional operation is that which is commercially available from Owens Corning under the trade designation "Pink Seal."

In accordance with this invention it is preferred to reduce air infiltration to less than about 0.7 air changes per hour, preferably to less than about 0.5 air changes per hour.

5

10

By the first state of the state

117

25

30

A second optional aspect of this invention involves testing for air infiltration after a first phase of sealing and further sealing with glue where air infiltration is determined not to have been prevented. During construction of a home, this energy package is installed and the home is tested for air infiltration prior to installation of fiberglass insulation. involves temporary installation of a blower door into an This blower door exterior doorway in the home. essentially pulls a vacuum on the house to detect and quantify leaks. One then examines the house throughout with a smoke stick while the blower is in operation in order to detect any significant leaks, representing air infiltration, and then seals such leaks using glue. many instances this operation is not performed because there is sufficient confidence in the first sealing operation.

A third aspect of this invention involves a link among an insulation installer, a lending institution, and new home purchaser, which link is essentially a method of increasing the potential size of the purchaser's home. Lending institutions are prepared to lend a greater amount of money to the purchaser of a home having the above-noted air infiltration package because the purchaser's utility bills will be reduced by, for example, 20% over the life of the home. The purchaser is therefore able to purchase a larger home.

EXAMPLE

Three homes under construction were sealed in accordance with the method of the invention after all of the trusses, floors, and exterior wall panels were in In particular, glue available under the trade designation "Liquid Nails" was applied between the following abutting surfaces: double plates, double

5

10

25

studs, studs and headers, corner surfaces of wall frames, subfloors and exterior wall plates, bandboard surfaces and subfloors, bandboards and plates, and two-by-fours. A high density ceiling insulation package was installed in each of the three homes. A fourth home under construction was prepared with a standard R-38 ceiling insulation package without application of glue between abutting surfaces to serve as a control home for comparison.

A blower door was installed in a door to each of the four homes. Upon operation of the blower door, the control home was determined to undergo 0.95 air changes per hour. The three homes prepared in accordance with the invention underwent 0.52, 0.24, and 0.62 air changes per hour, for an average of 0.46 air changes per hour. By comparison of 0.95 air changes to 0.46 air changes, it is evident that air infiltration was reduced by more than 50%.

As various changes could be made in the above embodiments without departing from the scope of the invention, it is intended that all matter contained in the above description shall be interpreted as illustrative and not in a limiting sense.

5

10

5 0

WHAT IS CLAIMED IS:

- 1. A method for reducing air infiltration in a building having a frame comprising wooden components, the method comprising applying glue to a majority of abutting surfaces of said wooden components to seal gaps between such surfaces to block air flow between such surfaces.
- 2. The method of claim 1 wherein the glue after application is capable of expanding and contracting with changes in temperature.
- 3. The method of claim 2 wherein the glue is a hydrocarbon-based adhesive containing petroleum distillates.
- 4. The method of claim 2 including applying glue to create a seal between abutting surfaces at subfloors and where subfloors meet exterior wall plates.
- 5. The method of claim 4 wherein glue is applied to at least about 85% of said abutting surfaces in the building.
 - 6. The method of claim 1 comprising:

applying glue to create a seal between abutting surfaces of wooden components forming double plates of wall panels;

applying glue to create a seal between abutting surfaces of wooden components of double studs supporting window and door headers;

applying glue to create a seal between abutting surfaces of wooden wall panels forming corners; and


applying glue to create a seal between abutting surfaces at subfloors and where subfloors meet exterior wall plates.


- 7. The method of claim 1 comprising, in sequence:
- a) applying glue to create a seal between wooden components forming double plates, between wooden components of double studs supporting window and door headers, between abutting surfaces of wooden wall panels forming corners, between abutting surfaces at subfloors and where subfloors meet exterior wall plates;
- b) drawing air into the building and locating gapsbetween abutting surfaces; and
 - c) applying glue to seal gaps located in step (b).
- 8. A method for reducing air infiltration to less than about 0.7 air changes per hour in a residence having a frame comprising wooden components, the method comprising applying glue to abutting wooden surfaces to provide a seal between such surfaces to block air flow between such surfaces and reduce air infiltration to less than about 0.7 air changes per hour.
- 9. The method of claim 8 comprising applying glue to abutting wooden surfaces to provide a seal between such surfaces to block air flow between such surfaces and reduce air infiltration to less than about 0.5 air changes per hour.


5

AIR INFILTRATION PREVENTION IN BUILDINGS ABSTRACT

A method for reducing air infiltration in a building having a frame comprising wooden components. Glue is applied to abutting wooden surfaces to provide a seal between such surfaces to prevent air flow between such surfaces.







Attorney's Docket No. AIN 1732

DECLARATION AND POWER OF ATTORNEY

REGULAR OR DESIGN APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

AIR INFILTRATION PREVENTION IN BUILDINGS

	the specification of which:
्र हैं 	(check one)
in the first of th	<pre>[X] is attached hereto [] was filed on as Application Serial No.</pre>
	ACKNOWLEDGEMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56.

PRIORITY CLAIM

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a) - (d) or §365(b) of any foreign application for patent or inventor's certificate, or §365(a) of any PCT application which designates at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Priority Claimed

(Number)	(Country)	(Day/Month/Year Filed)
(Number)	(Country)	(Day/Month/Year Filed)
(Number)	(Country)	(Day/Month/Year Filed)
	Priority N	ot Claimed
ANY FOREIGN APPLICAT DATE EARLIER THAN THE	ION(S), ON THE SA E EARLIEST APPLIC	AME SUBJECT MATTER WHICH HAS A FILING ATION FROM WHICH PRIORITY IS CLAIMED
(Number)	(Country)	(Day/Month/Year Filed)
CIATM E	OD DENEETT OF DD	OVISIONAL APPLICATION(S)
I hereby claim the be any United States pro	enefit under Titl ovisional applica	e 35, United States Code, §119(e) of tion(s) listed below.
-		June 4, 1997
<u>60/048,548</u> (Application	n Number)	(Filing Date)
(Application	n Number)	(Filing Date)
CLAIM FOR BENEFIT	OF EARLIER U.S.	APPLICATION(S) UNDER 35 U.S.C. 120
(complet		if this is a divisional,
	continuation or	CIP application)
I hereby claim the b	enefit under Titl	e 35, United States Code, §120 of any
United States application designat	ation(s), or §365 ing the United St	(c) of any PCT international ates of America, listed below and,
insofar as the subject	ct matter of each	of the claims of this application is
not disclosed in the provided by the first	prior United Sta t paragraph of Ti	tes application in the manner tle 35, United States Code §112, I
acknowledge the duty	to disclose info	rmation which is material to
which became availab	ined in Title 37, le between the fi	Code of Federal Regulations, §1.56 ling date of the prior application
and the national or	PCT International	filing date of this application:
(Serial No.) (Fil	ing Date) (Stat	us: patented, pending, abandoned)
(Serrar No.) (Fir	ing Dace, (beat	act. patemeta, penamy, abandonea,
(Serial No.) (Fil	ing Date) (Stat	us: patented, pending, abandoned)

POWER OF ATTORNEY

I hereby appoint the following attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Irving Powers (15,700), Donald G. Leavitt (17,626), John K. Roedel, Jr. (25,914), Michael E. Godar (28,416), Edward J. Hejlek (31,525), William E. Lahey (26,757), Richard G. Heywood (18,224), Frank R. Agovino (27,416), Kurt F. James (33,716), G. Harley Blosser (33,650), Paul I. J. Fleischut (35,513), Vincent M. Keil (36,838), Robert M. Evans, Jr. (36,794), Robert M. Bain (36,736), Joseph A. Schaper (30,493), Kathleen M. Petrillo (35,076), Rudolph A. Telscher, Jr. (36,032), Paul A. Stone (38,628), David E. Crawford, Jr. (38,118), Paul A. Maddock (37,877), Charles E. Cohen (34,565), Scott A. Williams (39,876), Richard L. Bridge (40,529), David M. Gryte (P-41,809), and Christopher M. Goff (P-41,785).

Send Correspondence To:	Direct Telephone Calls To:
Customer Number: 000321	Paul I. J. Fleischut (314) 231-5400

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's signature (auxiliary) Date 6-3-98
Residence Bridgeton, Missouri Citizenship USA

Post Office address 1777 Bansper Mr. De.

112

Second inventor's signature Timothy O'Neil

Residence Olivette, Missouri

Post Office address 1137 Collingue of Olivette Me. 63:32

Applicant or Patentee: <u>Lawrence L. Staples et a</u> Serial or Patent No.:	l. Attorney's Docket No.: AIN 1732
Filed or Issued:	
For: AIR INFILTRATION PREVENTION IN BUILDINGS	
VERIFIED STATEMENT (DECLARATION) CLAI STATUS (37 CFR 1.9(f) and 1.27(c)) - SM	MING SMALL ENTITY ALL BUSINESS CONCERN
I hereby declare that I am	
[] the owner of the small business an official of the small busines on behalf of the concern identif	s concern empowered to act
NAME OF CONCERN <u>Aladdin Insulation & Ro</u>	ofing, Inc.
ADDRESS OF CONCERN 5924 Hancock Ave.	
ADDRESS OF CONCERN 5924 Hancock Ave. Berkeley, Missouri 631	43
I hereby declare that the above identified smal as a small business concern as defined in 13 CF in 37 CFR 1.9(d), for purposes of paying reduce and (b) of Title 35, United States Code, in that the concern, including those of its affiliates, persons. For purposes of this statement, (1) the business concern is the average over the proconcern of the persons employed on a full-time, basis during each of the pay periods of the fis are affiliates of each other when either, direct concern controls or has the power to control the parties controls or has the power to control bo	R 121.3-18, and reproduced d fees under section 41(a) t the number of employees of does not exceed 500 he number of employees of evious fiscal year of the part-time or temporary cal year, and (2) concerns tly or indirectly, one e other, or a third party or th.
I hereby declare that rights under contract or and remain with the small business concern iden the invention, entitled AIR INFILTRATION PREVEN inventors Lawrence L. Staples and Timothy O'Nei	tified above with regard to TION IN BUILDINGS by
[XXX] the specification filed herewith [] Application Serial No	_, filed

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by an person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a

*NOTE: Separate verified statement concern or organization having restatus as small entities. (37 CM	ents are required for each named person, ights to the invention averring to their FR 1.27)
FULL NAME	
ADDRESS	
[] Individual [] S	Small Business [] Nonprofit Concern Organization
FULL NAME	
ADDRESS	
[] Individual [] s	Small Business [] Nonprofit Concern Organization
status prior to paying, or at the	g in loss of entitlement to small entity e time of paying, the earliest of the issue fter the date on which status as a small (37 CFR 1.28(b)).
true and that all statements made be true; and further that these that willful false statements and or imprisonment, or both, under States Code, and that such willful	ents made herein of my own knowledge are e on information and belief are believed to statements were made with the knowledge d the like so made are punishable by fine Section 1001 of Title 18 of the United ul false statements may jeopardize the patent issuing thereon, or any patent to directed.
NAME OF PERSON SIGNING	
ADDRESS OF PERSON SIGNING	Aladdin Insulation & Roofing, Inc.
	Berkeley, Missouri 63143
SIGNATURE Chien 1 /0/6/6	— DATE 6-3-98
, , ,	

small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

PIF/leb